
Title of Invention: Printer Enabling User to Set Error Recovery Method for Each Error Category Inventor's Name: N. Aoki et al.

Dkt #/Appln. No. 10/727,977



FIG.1



Title of Invention: Printer Enabling User to Set Error Recovery Method for Each Error Category Inventor's Name: N. Aoki et al. Dkt #/Appln. No. 10/727,977

2/11

FIG.2

AUTOMATIC PRINT CONTINUATION			
ERROR CATEGORY	CONTINUE TO PRINT ?	~ 41	
SHEET SIZE MISMATCH ERROR			
FONT SELECTION ERROR	YES NO		
DEVICE CONFIGURATION MISMATCH ERROR	YES NO		
USER DATA ERROR		-	
MAX TIME FOR OPERATION 300 SECONDS OK CANCEL			

FIG.3

OPERATION GUIDANCE	
ERROR RECOVERY PROCESS:	~ 42
PRINTING CONTINUATION	
○ YES ● NO	
ERROR: SHEET SIZE MISMATCH	
GUIDANCE: IGNORE ERROR AND CONTINUE TO	PRINT
OK CANCEL	

FIG.4

DETAIL CODE OF ERROR
0x100001
0x100002
0x100003
0x100004
:
0x100001
0x100002
:
0×NNNNNN

CLASSIFICATION CODE OF ERRORS	DETAIL CODE OF ERRORS
0×10: SHEET SIZE MISMATCH ERROR	0x10 0001: SHEET SIZE IS SMALLER THAN SPECIFIED 0x10 0002: SHEET SIZE IS LARGER THAN SPECIFIED
0x20: FONT SELECTION ERROR	0x20 0001: NO FONT FOR SPECIFIED "TYPEFACE" ATTRIBUTE 0x20 0002: NO FONT FOR SPECIFIED "SYMBOL SET" ATTRIBUTE 0x20 0003: NO FONT FOR SPECIFIED "STYLE" ATTRIBUTE 0x20 0004: NO FONT FOR SPECIFIED "SPACING" ATTRIBUTE 0x20 0005: SPECIFIED CHARACTER PITCH IS OUT OF RANGE 0x20 0006: SPECIFIED POINT SIZE OUT OF RANGE 0x20 0007: SPECIFIED STROKE WEIGHT OUT OF RANGE
0x30: DEVICE CONFIGURATION MISMATCH ERROR	0x30 0001: DUPLEX DATA SPECIFIED FOR SIMPLEX PRINTER 0x30 0002: SPECIFIED INPUT TRAY NOT FOUND 0x30 0003: SPECIFIED OUTPUT STACKER (BIN) NOT FOUND
0x40: USER DATA ERROR	0x40 0001: SPECIFIED PDL NOT FOUND 0x40 0002: INVALID COMMAND IN PDL 0x40 0003: UNDEDINED COMMAND IN PDL 0x40 0003: UNDEDINED COMMAND IN PDL 0x40 0005: SPECIFIED DOWNLOADED FONT NOT FOUND 0x40 0005: SPECIFIED DOWNLOADED FONT NOT SUFFICIENT IN READING DOWNLOADED FONT 0x40 0007: MEMORY CAPACITY NOT SUFFICIENT IN WRITING DOWNLOADED FONT 0x40 0009: WRITE ERROR FOR DOWNLOADED FONT 0x40 0009: WRITE ERROR FOR DOWNLOADED FONT 0x40 0009: WRITE ERROR FOR DOWNLOADED FONT 0x40 0000: SPECIFIED OVERLAY DATA FILE NOT FOUND 0x40 0000: MEMORY CAPACITY NOT SUFFICIENT FOR DOWNLOADED OVERLAY DATA IN READING 0x40 0000: READ ERROR FOR DOWNLOADED OVERLAY DATA 0x40 0000: WRITE ERROR FOR DOWNLOADED OVERLAY DATA 0x40 0000: WRITE ERROR FOR DOWNLOADED OVERLAY DATA 0x40 0000: WRITE ERROR FOR DOWNLOADED OVERLAY DATA


Title of Invention: Printer Enabling User to Set Error Recovery Method for Each Error Category

Inventor's Name: N. Aoki et al. Dkt #/Appln. No. 10/727,977


4/11

FIG.6


ERROR CATEGORY	ERROR RECOVERY METHOD
0x10: SHEET SIZE MISMATCH ERROR	0x00: RECOVERY BY USER OPERATION
0x20: FONT SELECTION ERROR	0x01: AUTOMATIC CONTINUATION
0x30: DEVICE CONFIGURATION MISMATCH ERROR	0x01: AUTOMATIC CONTINUATION
0x40: USER DATA ERROR	0x00: RECOVERY BY USER OPERATION



Title of Invention: Printer Enabling User to Set Error Recovery Method for Each Error Category Inventor's Name: N. Aoki et al. Dkt #/Appln. No. 10/727,977



DATA RECEPTION / PDL ANALYSIS TASK



Title of Invention: Printer Enabling User to Set Error Recovery Method for Each Error Category Inventor's Name: N. Aoki et al. Dkt #/Appln. No. 10/727,977

FIG.10





IMAGE PRINTING TASK

Title of Invention: Printer Enabling User to Set Error Recovery Method for Each Error Category

Inventor's Name: N. Aoki et al. Dkt #/Appln. No. 10/727,977


7/11


FIG.11



ERROR RECOVERY PROCEDURE







Dkt #/Appln. No. 10/727;977

10/11

